Indicators of Alcohol and Other Drug Risk and Consequences for California Counties



Indicators of Alcohol and Other Drug Risk and Consequences for California Counties





Key Indicators of Community Alcohol and Drug Use Table of Contents

| Introduc | tion | | 1 |
|--------------|-------|--|----|
| Dashboa | ard | | 3 |
| Prevaler | nce c | of Alcohol Use | 4 |
| Indicator | 1 & 2 | 2: Prevalence of Past Month Alcohol Use | |
| Table/Figure | 1.1 | Estimated Number and Percent of Persons 18 Years and Over Who Reported Any Use of Alcohol or Binge Drinking in the Past Thirty Days with Comparison to State Rates | 5 |
| Table/Figure | 1.2 | Estimated Number of Persons Reporting Any Alcohol Use of Any Binge Drinking by Gender | 5 |
| Table | 1.3 | Estimated Number of Persons Reporting Any Alcohol Use or Any Binge Drinking by Race/Ethnicity | 6 |
| Figure | 1.3 | Past Month Alcohol Use by Race/Ethnicity | 6 |
| Figure | 1.4 | Past Month Binge Drinking by Race/Ethnicity | 6 |
| Table | 1.4 | Estimated Number of Persons Reporting Any Alcohol Use or Any Binge Drinking by Age | 7 |
| Figure | 1.5 | Past Month Alcohol Use by Age Category | 7 |
| Figure | 1.6 | Past Month Binge Drinking by Age Category | 7 |
| Table | 1.5 | Estimated Number of Adolescents Under Age 18 Reporting Past Month Binge Drinking | 8 |
| | | | |
| Admissi | ons t | to Alcohol and Drug Treatment | 9 |
| Indicator | 3: Ac | dmissions to Alcohol and Drug Treatment | |
| Table/Figure | 3.1 | Number of Admissions to Alcohol and Drug Treatment and Rate per 100,000 with Comparison to Statewide Rates | 10 |
| Table | 3.2 | AOD Treatment Admissions to Primary Drug Type, Percent of Total, and Rate per 100,000 Population 10-69 Years | 10 |
| Figure | 3.2 | 2000 Admissions and Rates by Primary Drug Type | 10 |
| Figure | 3.3 | 2004 Admissions and Rates by Primary Drug Type | 10 |
| Table | 3.3 | Treatment Admissions by Client Age and Age-Specific Rate per 100,000 Population | 11 |
| Table | 3.4 | Admissions to Alcohol and Drug Treatment by Client Race/Ethnicity and Rate per 100,000 | 12 |
| Figure | 3.4 | County Treatment Admissions Rate per 100,000 Population 10-69 by Primary Drug Type | 13 |
| Figure | 3.5 | County Treatment Admission Rate per 100,000 Population by Client Age | 13 |
| Figure | 3.6 | County Treatment Admission Rate per 100,000 by Client Race/Ethnicity | 13 |
| Table | 3.5 | Characteristics of Clients Admitted to Alcohol and Drug Treatment | 14 |
| Table | 3.6 | AOD Treatment Admissions Among Youth Under Age 18 by Primary Drug Type and Percent of Total Admissions | 15 |
| Figure | 3.7 | 2004 Admissions by Primary Drug Type Among Youth Under 18 Years | 15 |

| Table | 3.7 | AOD Treatment Admissions Among Youth Under Age 18 by Client Race/Ethnicity, Rate per 100,000 Population 10 to 17, and Percent of Total Youth Admissions | 16 |
|--------------|--------|---|----|
| Alcohol | and I | Drug Related Crime | 17 |
| Indicator | 4: Arı | rests for Drug-Related Crime | |
| Table/Figure | 4.1 | Number of Felony and Misdemeanor Arrests for Drug Offenses and Rate per 100,000 Population 10-69 Years | 18 |
| Table | 4.2 | Number of Felony and Misdemeanor Arrests for Drug Offenses by Specific Offense and Rate per 100,000 Population 10-69 Years | 18 |
| Table | 4.3 | Number of Arrests for Felony and Misdemeanor Drug Offenses by Race/Ethnicity of Offender and Rate per 100,000 Population | 19 |
| Table | 4.4 | Number of Arrests for Felony and Misdemeanor Drug Offenses by Age of Offender and Age- Specific Rate per 100,000 Population | 20 |
| Figure | 4.2 | County Drug Arrest Rate per 100,000 Population 10-69 for Drug Offenses | 21 |
| Figure | 4.3 | County Age-Specific Drug Arrest Rate per 100,000 Population 10-69 by Age Group | 21 |
| Figure | 4.4 | County Drug Arrest Rate per 100,000 Population 10-69 by Client Race/Ethnicity | 21 |
| Table | 4.5 | Number of Arrests for Felony and Misdemeanor Drug Offenses by Gender and Race Among Underage Offenders and Rate per 100,000 Population 10-17 Years | 22 |
| Indicator | 5: Arı | rests for Alcohol-Related Crime | |
| Table/Figure | 5.1 | Number of Felony and Misdemeanor Arrests for Alcohol Offenses and Rate per 100,000 Population 10-69 Years | 23 |
| Table | 5.2 | Number of Felony and Misdemeanor Arrests for Alcohol Offenses by Specific Offense and Rate per 100,000 Population 10-69 Years | 23 |
| Table | 5.3 | Number of Arrests for Felony and Misdemeanor Alcohol Offenses by Race/Ethnicity of Offender and Rate per 100,000 Population | 24 |
| Table | 5.4 | Number of Arrests for Felony and Misdemeanor Alcohol Offenses by Age of Offender and Age-Specific Rate per 100,000 Population | 25 |
| Figure | 5.2 | County Alcohol Arrest Rate per 100,000 Population 10-69 for Alcohol Offenses | 26 |
| Figure | 5.3 | County Age-Specific Alcohol Arrest Rate per 100,000 Population 10-69 by Age Group | 26 |
| Figure | 5.4 | County Alcohol Arrest Rate per 100,000 Population 10-69 by Client Race/Ethnicity | 26 |
| Table | 5.5 | Number of Arrests for Felony and Misdemeanor Alcohol Offenses by Gender and Race Among Underage Offenders and Rate per 100,000 Population 10-17 Years | 27 |
| Drinking | and | Driving | 28 |
| | | cohol-Involved Motor Vehicle Accidents | |
| Table/Figure | 6.1 | County Fatalities in Alcohol-Involved Accidents and Rate per 100,000 with Comparison to Statewide Rates | 29 |

| Table | 6.2 | County Fatalities in Alcohol-Involved Accidents as a Percent of Total Collisions with a Comparison of Underage Drivers | 29 |
|--------------|-------|--|----|
| Table | 6.3 | Parties in Alcohol-Involved Accidents Who Had Been Drinking by Party Gender and Race and Rate per 100,000 Population Ages 16 and Over | 30 |
| Table | 6.4 | Parties in Alcohol-Involved Accidents Who Had Been Drinking by Age and Rate per 100,000 Population | 31 |
| Figure | 6.2 | County 'Had Been Drinking' Drivers per 100,000 Population of Driving Age (16 and Over) by Age | 32 |
| Table | 6.5 | Underage Parties (<21 Years) in Alcohol-Involved Accidents Who Had been Drinking by Party Gender and Race and Rate per 100,000 Population Ages 16 – 20 | 32 |
| Table | 6.6 | Youth who Have Ridden in a Car with Someone Who Had Been Drinking Percent of Youth Population by Gender with Comparison to State Rates | 33 |
| Figure | 6.3 | Percent of Youth Who Have Ridden in a Car with Someone who Had Been Drinking | 33 |
| Alcohol | and I | Drug-Related Morbidity | 34 |
| Indicator | 7: Ho | spitalization Due to Alcohol and Drug Use | |
| Table/Figure | 7.1 | Number of Hospital Admissions Due to Alcohol and Drug-Related Causes (Combined) and Rate per 100,000 with Comparison to Statewide Rates | 35 |
| Table/Figure | 7.2 | Number of Hospital Admissions Due to <i>Alcohol</i> -Related Causes and Rate per 100,000 with Comparison to Statewide Rates | 35 |
| Table/Figure | 7.3 | Number of Hospital Admissions Due to <i>Drug</i> -Related Causes and Rate per 100,000 with Comparison to Statewide Rates | 35 |
| Table | 7.4 | Number of Hospital Admissions Due to Alcohol and Drug-Related Causes by Specific Cause | 36 |
| Alcohol | and I | Drug-Related Mortality | 37 |
| Indicator | 8: De | aths Due to Alcohol and Drug Use | |
| Table/Figure | 8.1 | Number of Deaths due to Alcohol and Drug-Related Causes and Age-Adjusted Rate per 100,000 with comparison to Statewide Rates | 38 |
| Table | 8.2 | Number of Deaths Due to Cirrhosis of the Liver and Rate per 100,000 and Comparison to Healthy People 2010 Objective | 38 |
| Table | 8.3 | Number of Drug-Induced Deaths and Rate per 100,000 and Comparison to healthy People 2010 Objective | 38 |
| Table | 8.4 | Number of Deaths due to Alcohol and Drug-Related Causes by Specific Cause | 39 |
| Table | 8.5 | Number of Deaths Due to Alcohol and Drug-Related Causes by Population Demographics of Decedents with Percent of Total Deaths | 40 |
| Sources | | | 44 |
| >OURCOC | | | 44 |

Introduction

In the mid-1990s, the California Department of Alcohol and Drug Programs, in collaboration with the Center for Applied Research Solutions (CARS), Inc. began to work toward improving the state's prevention information system. A key component of this information system was the continuous collection, monitoring and reporting of selected community-level indicators that would serve as direct and indirect measures of alcohol and other drug use prevalence and related problems. This information system was designed to assist with state and local prevention planning and policy-making by providing useful, systematic data about prevention and treatment needs and outcomes throughout the state.

The present report is the most recent product of this ongoing effort. It differs from earlier versions in a few important ways. First, while previous reports typically summarized data for more than twenty-five indicators of health and social conditions that are theoretically linked to problem substance use, the current version is more streamlined, focusing on eight key indicators of AOD use and abuse prevalence and their direct consequences, including impacts on the criminal justice, health and alcohol and drug treatment systems. Second, the 2007 report updates information contained in earlier versions, but expands in its depth to summarize data for populations within the larger county, including age, gender, and race/ethnicity sub-groups. This expanded detail allows for more precise analyses of alcohol and drug use problems within a county population and enhances the ability to effectively target prevention and intervention strategies to community needs. Similar to previous reports, the 2007 version includes simple analytic tools to help users interpret the information presented. This includes use of population-based rates (e.g., the number of incidents relative to the total population) to make meaningful comparisons between geographic areas that differ in population size, or comparisons between differing time points. Data is presented at both the county and state level to allow county rates to be evaluated against a relative average

The overall intent of the report is to provide a simple, easy-to-use resource that helps synthesize and interpret the most relevant indicator data currently available to assess substance use problems, in an effort to optimize prevention planning and outcome measurement efforts in communities through the state. Specifically, it is designed to support the work of planners, policy-makers, and practitioners in the field in:

- Determining the incidence of alcohol and other drug use problems within county populations and sub-populations;
- Monitoring trends in problem incidence to identify emergent issues and detect changes in status over time;
- Establishing program resource levels that are appropriate to address the nature and extent of prevention and treatment needs; and,
- Documenting progress toward achieving targeted prevention objectives and outcomes.

The report contains information on several key indicators of alcohol and drug prevalence and consequences for California populations in each of the following six areas:

- Household prevalence of problem alcohol use and use of illicit drugs;
- Admissions to publicly-funded alcohol and drug treatment facilities;
- Arrests for alcohol and drug-related criminal offenses;
- Motor vehicle accidents involving drivers who had been drinking;
- Hospitalizations for alcohol and drug-related conditions; and,
- Mortality attributable to acute and chronic alcohol and drug use.

Each report contains data compiled from several sources, including a statewide, longitudinal survey of California household populations, and state data systems housing public archival records from four central agencies, including the California Department of Justice, the California Highway Patrol, the California Department of Health Services, and the Office of Statewide Health Planning and Development (OSHPD). This reliance on statewide data sources ensures that the information reported is drawn from reliable and valid measures that are routinely and uniformly collected across jurisdictions (i.e., all counties use the same data collection), allowing for comparisons over time, across counties, and between counties and the state.

Key Indicators of Community Alcohol and Drug Use • Marin County

| | 2000 | 2001 | 2002 | 2003 | 2004 | Three Year Average | Ranking |
|--|---------|---------|---------|---------|---------|-----------------------|---------|
| INDICATOR 1 | • | 146,000 | • | 133,00 | • | 133,00 ¹ | + |
| Past Month Alcohol Use Percentage of Total Respondents | • | 187,000 | • | 186,000 | • | 186,000 | |
| | • | 77.9% | • | 71.4% | • | 71.4% | |
| INDICATOR 2 | • | 31,000 | • | 29,000 | • | 29,000 ¹ | + |
| Past Month Binge Drinking Percentage of Total Respondents | • | 186,000 | • | 186,000 | • | 186,000 | |
| | • | 16.7% | • | 15.8% | • | 15.8% | |
| INDICATOR 3 | 1,921 | 2,135 | 2,468 | 1,990 | 2,784 | 2,414 | + |
| Admissions to Alcohol and Other Drug Treatment | 195,849 | 196,359 | 196,417 | 196,387 | 196,038 | 196,281 | |
| Rate per 1000 Population 10-69 | 980.9 | 1087.3 | 1256.5 | 1013.3 | 1420.1 | 1229.9 | |
| INDICATOR 4 | 788 | 822 | 756 | 865 | 901 | 841 | + |
| Arrests for Drug-Related Offenses Rate per 100,000 Population 10-69 | 195,849 | 196,359 | 196,417 | 196,387 | 196,038 | 196,281 | |
| | 402.4 | 418.6 | 384.9 | 440.5 | 459.6 | 428.3 | |
| INDICATOR 5 | 2,517 | 2,658 | 2,638 | 2,691 | 2,572 | 2,634 | + |
| Arrests for Alcohol-Related Offenses Rate per 100,000 Population 10-69 | 195,849 | 196,359 | 196,417 | 196,387 | 196,038 | 196,281 | |
| | 1285.2 | 1353.6 | 1343.1 | 1370.3 | 1312.0 | 1341.8 | |
| INDICATOR 6 | 4 | 4 | 4 | 3 | ** | 4 | + |
| Alcohol-Involved Motor Vehicle Accident Fatalities | 248,449 | 249,938 | 250,717 | 251,466 | ** | 250,707 | |
| Rate per 100,000 Population | 1.6 | 1.6 | 1.6 | 1.2 | ** | 1.5 | |
| INDICATOR 7 | 111 | 118 | ** | 130 | ** | 124 | + |
| Alcohol and Drug Use Hospitalizations | 248,449 | 249,938 | 250,717 | 251,466 | ** | 250,702 | |
| Rate per 100,000 Population | 44.7 | 47.2 | ** | 51.7 | ** | 49.5 | |
| INDICATOR 8 | 39 | 36 | 45 | 59 | ** | 47 | + |
| Deaths Due to Alcohol and Drug Use Rate per 100,000 Population | 248,449 | 249,938 | 250,717 | 251,466 | ** | 250,707 | |
| | 13.3 | 12.6 | 15.8 | 20.4 | ** | 16.3 | |

^{**} Data not available for most current reporting year. + County comparative rankings not yet calculated. 1 2003 prevalence rate; no three- year average calculated.

Prevalence of Alcohol Use

Key Findings

- In 2003 roughly 71 percent of adults drank alcohol over the past month, higher than the statewide average of 57 percent. During this same year 15.8 percent of adults binge drank over the past month, slightly higher than the statewide average of 15.1 percent.
- Roughly 76 percent of males drank alcohol over the past month in 2003 compared to 67 percent of females. About 22 percent of males binge drank over the past month compared to 10 percent of females.
- About 77 percent of Whites drank alcohol over the past month compared to 42 percent of Hispanics. Past month binge drinking rates for both Whites and Hispanics was 16.3 percent. The sample sizes for other race/ethnicity groups were too small to make estimates with confidence.
- Past month alcohol use rates in 2003 ranged from 82 percent for individuals between 45 and 54 to 44 percent for individuals between 18 and 24. Individuals between 18 and 24 had the highest binge drinking rate of 30 percent. Binge drinking rates declined with age.
- Roughly 13.7 percent of adolescents under the age of 18 binge drank over the past month in 2003, more than double the statewide average of 6.3 percent. In 2003 roughly 16 percent of males binge drank over the past month compared to 10 percent of females.




Indicators 1 & 2: Prevalence of Past Month Alcohol Use

The number and percent of persons in the population who reported any use of alcohol and number of persons who reported any binge drinking in the past thirty days.


Table/Figure 1.1
Estimated Number and Percent of Persons 18 Years and Over Who
Reported Any Use of Alcohol or Any Binge Drinking in the Past Thirty
Days with Comparison to Statewide Rates

| | Any Alco | hol Use | Binge Drinking | |
|----------------------------------|----------|---------|----------------|---------|
| | 2001 | 2003 | 2001 | 2003 |
| Estimated Number * | 146,000 | 133,00 | 31,000 | 29,000 |
| Estimated Population 18 and over | 187,000 | 186,000 | 186,000 | 186,000 |
| Percent of Total Population | 77.9% | 71.4% | 16.7% | 15.8% |
| | | _ | | |
| CALIFORNIA Estimated Percent | 57.9% | 57.4% | 15.4% | 15.1% |



Table/Figure 1.2
Estimated Number of Persons Reporting Any Alcohol Use or Any Binge Drinking by Gender

| | | Any Alco | Any Alcohol Use | | Prinking |
|--------|-----------------------|----------|-----------------|--------|----------|
| | | 2001 | 2003 | 2001 | 2003 |
| Male | Estimated Number | 72,000 | 67,000 | 22,000 | 19,000 |
| | Estimated Population | 89,000 | 88,000 | 88,000 | 88,000 |
| | Percent of Population | 80.7% | 76.3% | 24.8% | 22.0% |
| Female | Estimated Number | 74,000 | 66,000 | 9,000 | 10,000 |
| | Estimated Population | 99,000 | 98,000 | 99,000 | 98,000 |
| | Percent of Population | 75.3% | 67.0% | 9.6% | 10.2% |



Healthy People 2010 U.S. Department of Health and Human Services

Objectives 26-10a

Increase the proportion of adolescents not using any alcohol or illicit drugs in the past thirty days.

•••

Objectives 26-11c

Decrease the proportion of adults engaging in binge drinking of alcoholic beverages during the past month.

5

^{*} Estimates rounded to the nearest thousand

Indicators 1 & 2: Prevalence of Past Month Alcohol Use (Continued)

Table 1.3
Estimated Number of Persons Reporting Any Alcohol Use or Any Binge Drinking by Race/Ethnicity

| | | Any Alco | phol Use | Binge I | Orinking |
|------------------------|-----------------------|----------|----------|---------|----------|
| | | 2001 | 2003 | 2001 | 2003 |
| American Indian | Estimated Number | 1,000 | - | - | - |
| | Estimated Population | 1,000 | 1,000 | - | - |
| | Percent of Population | 95.6% | - | - | - |
| Asian/Pacific Islander | Estimated Number | 7,000 | 3,000 | - | - |
| | Estimated Population | 9,000 | 8,000 | - | - |
| | Percent of Population | 76.2% | 31.1% | - | - |
| Black | Estimated Number | 2,000 | 1,000 | - | - |
| | Estimated Population | 3,000 | 1,000 | - | - |
| | Percent of Population | 69.6% | 100.0% | - | - |
| Hispanic | Estimated Number | 7,000 | 7,000 | 1,000 | 3,000 |
| | Estimated Population | 13,000 | 16,000 | 13,000 | 16,000 |
| | Percent of Population | 53.0% | 42.3% | 7.5% | 16.3% |
| White | Estimated Number | 127,000 | 120,000 | 29,000 | 25,000 |
| | Estimated Population | 159,000 | 156,000 | 158,000 | 156,000 |
| | Percent of Population | 80.1% | 76.7% | 18.6% | 16.3% |
| Other | Estimated Number | 3,000 | 3,000 | - | 1,000 |
| | Estimated Population | 3,000 | 3,000 | - | 3,000 |
| | Percent of Population | 81.7% | 88.2% | - | 29.5% |

⁻ Estimate not reported due to small sample size.

Figure 1.3
Past Month Alcohol Use by Race/Ethnicity





Figure 1.4
Past Month Binge Drinking by Race/Ethnicity



Indicators 1 & 2: Prevalence of Past Month Alcohol Use (Continued)

Table 1.4
Estimated Number of Persons Reporting Any Alcohol Use or Any Binge Drinking by Age

| | | Any Alco | phol Use | Binge I | Orinking |
|-------------|-----------------------|----------|----------|---------|----------|
| | | 2001 | 2003 | 2001 | 2003 |
| 18 to 24 | Estimated Number | 12,000 | 8,000 | 8,000 | 5,000 |
| | Estimated Population | 17,000 | 17,000 | 17,000 | 17,000 |
| | Percent of Population | 71.3% | 44.3% | 43.9% | 30.3% |
| 25 to 34 | Estimated Number | 18,000 | 11,000 | 5,000 | 4,000 |
| | Estimated Population | 23,000 | 17,000 | 23,000 | 17,000 |
| | Percent of Population | 77.1% | 67.7% | 19.4% | 26.0% |
| 35 to 44 | Estimated Number | 30,000 | 34,000 | 7,000 | 7,000 |
| | Estimated Population | 40,000 | 45,000 | 40,000 | 45,000 |
| | Percent of Population | 74.2% | 77.0% | 17.1% | 14.6% |
| 45 to 54 | Estimated Number | 39,000 | 35,000 | 5,000 | 6,000 |
| | Estimated Population | 46,000 | 42,000 | 46,000 | 42,000 |
| | Percent of Population | 84.1% | 81.9% | 10.9% | 13.5% |
| 55 to 64 | Estimated Number | 22,000 | 25,000 | 4,000 | 5,000 |
| | Estimated Population | 28,000 | 34,000 | 27,000 | 34,000 |
| | Percent of Population | 79.2% | 73.2% | 14.2% | 16.1% |
| 65 and Over | Estimated Number | 25,000 | 20,000 | 3,000 | 2,000 |
| | Estimated Population | 33,000 | 32,000 | 33,000 | 32,000 |
| | Percent of Population | 76.6% | 64.7% | 10.2% | 6.6% |

Figure 1.5
Past Month Alcohol Use by Age Category





Figure 1.6
Past Month Binge Drinking by Age Category



Indicators 1 & 2: Prevalence of Past Month Alcohol Use (Continued)

Table 1.5
Estimated Number of Adolescents Under Age 18 Reporting Past Month Binge Drinking

| | | 2001 | 2003 |
|------------------------|-----------------------|-----------|-----------|
| CALIFORNIA | Estimated Number | 200,000 | 205,000 |
| | Estimated Population | 3,040,000 | 3,260,000 |
| | Percent of Population | 6.6% | 6.3% |
| Marin County | Estimated Number | 2,000 | 2,000 |
| | Estimated Population | 17,000 | 17,000 |
| | Percent of Population | 13.8% | 13.7% |
| Male | Estimated Number | 1,000 | 2,000 |
| | Estimated Population | 8,000 | 10,000 |
| | Percent of Population | 12.0% | 16.0% |
| Female | Estimated Number | 1,000 | 1,000 |
| | Estimated Population | 9,000 | 6,000 |
| | Percent of Population | 15.4% | 9.9% |
| American Indian | Estimated Number | - | <u> </u> |
| | Estimated Population | - | - |
| | Percent of Population | - | - |
| Asian/Pacific Islander | Estimated Number | - | - |
| | Estimated Population | - | - |
| | Percent of Population | - | - |
| Black | Estimated Number | - | - |
| | Estimated Population | - | - |
| | Percent of Population | - | - |
| Hispanic | Estimated Number | - | - |
| | Estimated Population | - | - |
| | Percent of Population | - | - |
| White | Estimated Number | 2,000 | 2,000 |
| | Estimated Population | 13,000 | 14,000 |
| | Percent of Population | 17.5% | 16.5% |
| Other | Estimated Number | - | - |
| | Estimated Population | - | - |
| | Percent of Population | - | - |

Admissions to Alcohol and Drug Treatment

Key Findings

- The number of admissions to alcohol and drug treatment increased from 1921 admissions in 2000 to 2784 admissions in 2004. The rate of admission in 2004 was 1420 admissions per 100,000 persons, significantly higher than the statewide average of 802 admissions per 100,000 persons.
- Admissions for alcohol use accounted for 50 percent of admissions in 2004, a slight decrease from 54 percent in 2000. Admissions for methamphetamine use accounted for 19 percent of admissions in 2004, an increase from 10 percent in 2000. Admissions for crack/cocaine accounted for 13 percent, heroin use for 10 percent, and marijuana use for four percent of admissions in 2004.
- Individuals between 25 and 34 years accounted for 35 percent of admissions in 2004 at a rate of 2469 admissions per 100,000 persons, the highest rate of any age bracket. Youth between 10 and 17 years accounted for less than two percent of admissions in 2004.
- Whites accounted for 74 percent of admissions in 2004. During this year, African
 Americans accounted for 14 percent of admissions, and Hispanics accounted for nine
 percent of admissions.
- In 2004 males accounted for 60 percent of admissions to alcohol and drug treatment.
- Roughly 77 percent of individuals admitted to alcohol and drug treatment in 2004 had initiated substance use prior to the age of 21, and 62 percent had initiated substance use prior to the age of 18.
- Almost 15 percent of individuals admitted to alcohol and drug treatment in 2004 were IV drug users, a decrease from 20 percent in 2000.
- Of the 1099 females admitted to alcohol and drug treatment in 2004, 3.4 percent were pregnant.
- Of the 53 youth between 10 and 17 admitted to alcohol and drug treatment in 2004, 47
 percent were admitted for marijuana use, 23 percent for alcohol use, and 19 percent for
 methamphetamine use.
- Males accounted for 81 percent of youth between 10 and 17 admitted to alcohol and drug treatment in 2003. About 55 percent were White, 32 percent Hispanic, and six percent African American.



Indicator 3: Admissions to Alcohol and Drug Treatment

The number of admissions to publicly funded alcohol and other drug treatment facilities in California and rate of admission per 100,000 population 10 to 69 years.

Table/Figure 3.1 Number of Admissions to Alcohol and Drug Treatment and Rate per 100,000 with Comparison to Statewide Rates

| | 2000 | 2001 | 2002 | 2003 | 2004 |
|-----------------------------------|---------|---------|---------|---------|---------|
| Number of Treatment Admissions | 1,921 | 2,135 | 2,468 | 1,990 | 2,784 |
| Population 10-69 | 195,849 | 196,359 | 196,417 | 196,387 | 196,038 |
| Rate per 100,000 | 980.9 | 1087.3 | 1256.5 | 1013.3 | 1420.1 |
| | | | | | |
| CALIFORNIA Rate per 100,000 | 842.3 | 915.6 | 908.4 | 862.1 | 801.7 |




Table 3.2
AOD Treatment Admissions by Primary Drug Type, Percent of Total Admissions, and Rate per 100,000 Population 10-69 Years

2000 2001 2002 2003 2004 **TOTAL ADMISSIONS** 2,468 1,921 2,135 1,990 2,784 Methamphetamines 267 350 522 193 382 10.0% 12.5% 14.2% 19.2% 18.8% 98.5 136.0 178.2 194.5 266.3 Alcohol 1,065 1,324 1,029 946 1,401 53.6% 49.9% 53.6% 47 5% 50.3% 525.4 542.4 674.1 481.7 714.7 Marijuana 102 117 107 112 4.2% 4.8% 4.7% 5.4% 4.0% 519 59 6 54.5 57 1 414 Heroin 353 287 273 310 204 16.1% 16.5% 11.6% 10.3% 9.8% 158.3 179.8 146.1 103.9 139.3 Crack/Cocaine 212 248 298 259 349 11.0% 11.6% 12.1% 13.0% 12 5% 108.2 126.3 151.7 131.9 178.0 Other Drugs 127 96 100 5.0% 4.7% 3.7% 4.6% 4.6% 50.9 46.8 46.8 49 0 64.8

Figure 3.2 2000 Admissions by Primary Drug Type




Figure 3.3 2004 Admissions by Primary Drug Type




Table 3.3
Treatment Admissions by Client Age and Age-Specific Rate per 100,000 Population

| | | 2000 | 2001 | 2002 | 2003 | 2004 |
|------------------|------------------|--------|--------|--------|--------|--------|
| TOTAL ADMISSIONS | | 1,921 | 2,135 | 2,468 | 1,990 | 2,784 |
| 10-17 Years | Number | 61 | 69 | 52 | 54 | 53 |
| | Population | 22,702 | 23,201 | 23,419 | 23,463 | 23,370 |
| | Rate per 100,000 | 268.7 | 297.4 | 222.0 | 230.1 | 226.8 |
| | Percent of Total | 3.2% | 3.2% | 2.1% | 2.7% | 1.9% |
| 18-24 Years | Number | 161 | 207 | 242 | 252 | 372 |
| | Population | 13,861 | 14,730 | 15,685 | 16,914 | 18,156 |
| | Rate per 100,000 | 1161.5 | 1405.3 | 1542.9 | 1489.9 | 2048.9 |
| | Percent of Total | 8.4% | 9.7% | 9.8% | 12.7% | 13.4% |
| 25-34 Years | Number | 470 | 487 | 520 | 433 | 552 |
| | Population | 31,595 | 29,776 | 28,171 | 26,454 | 24,774 |
| | Rate per 100,000 | 1487.6 | 1635.5 | 1845.9 | 1636.8 | 2228.1 |
| | Percent of Total | 24.5% | 22.8% | 21.1% | 21.8% | 19.8% |
| 35-44 Years | Number | 674 | 741 | 867 | 642 | 963 |
| | Population | 44,512 | 43,372 | 42,036 | 40,550 | 39,007 |
| | Rate per 100,000 | 1514.2 | 1708.5 | 2062.5 | 1583.2 | 2468.8 |
| | Percent of Total | 35.1% | 34.7% | 35.1% | 32.3% | 34.6% |
| 45-54 Years | Number | 424 | 520 | 631 | 476 | 648 |
| | Population | 45,910 | 46,120 | 45,501 | 45,012 | 44,496 |
| | Rate per 100,000 | 923.5 | 1127.5 | 1386.8 | 1057.5 | 1456.3 |
| | Percent of Total | 22.1% | 24.4% | 25.6% | 23.9% | 23.3% |
| 55-64 Years | Number | 103 | 96 | 131 | 120 | 178 |
| | Population | 28,370 | 30,130 | 32,419 | 34,481 | 36,158 |
| | Rate per 100,000 | 363.1 | 318.6 | 404.1 | 348.0 | 492.3 |
| | Percent of Total | 5.4% | 4.5% | 5.3% | 6.0% | 6.4% |
| 65+ Years | Number | 28 | 15 | 25 | 13 | 18 |
| | Population | 33,663 | 34,316 | 34,922 | 35,754 | 36,734 |
| | Rate per 100,000 | 83.2 | 43.7 | 71.6 | 36.4 | 49.0 |
| | Percent of Total | 1.5% | 0.7% | 1.0% | 0.7% | 0.6% |

Table 3.4 Admissions to Alcohol and Drug Treatment by Client Race/Ethnicity and Rate per 100,000

| | | 2000 | 2001 | 2002 | 2003 | 2004 |
|------------------|------------------|---------|---------|---------|---------|---------|
| TOTAL ADMISSIONS | | 1,921 | 2,135 | 2,468 | 1,990 | 2,784 |
| American Indian | Number | 24 | 21 | 31 | 29 | 14 |
| | Population | 585 | 590 | 592 | 597 | 601 |
| | Rate per 100,000 | 4102.6 | 3559.3 | 5236.5 | 4857.6 | 2329.5 |
| | Percent of Total | 1.2% | 1.0% | 1.3% | 1.5% | 0.5% |
| Asian/Pacific | Number | 17 | 31 | 37 | 44 | 26 |
| isiandei | Population | 9,847 | 9,811 | 9,713 | 9,632 | 9,512 |
| | Rate per 100,000 | 172.6 | 316.0 | 380.9 | 456.8 | 273.3 |
| | Percent of Total | 0.9% | 1.5% | 1.5% | 2.2% | 0.9% |
| Black | Number | 281 | 303 | 409 | 308 | 383 |
| | Population | 6,214 | 6,283 | 6,352 | 6,392 | 6,437 |
| | Rate per 100,000 | 4522.0 | 4822.5 | 6438.9 | 4818.5 | 5950.0 |
| | Percent of Total | 14.6% | 14.2% | 16.6% | 15.5% | 13.8% |
| Hispanic | Number | 178 | 172 | 245 | 179 | 260 |
| | Population | 22,019 | 22,964 | 23,869 | 24,826 | 25,757 |
| | Rate per 100,000 | 808.4 | 749.0 | 1026.4 | 721.0 | 1009.4 |
| | Percent of Total | 9.3% | 8.1% | 9.9% | 9.0% | 9.3% |
| White | Number | 1,403 | 1,586 | 1,712 | 1,398 | 2,070 |
| | Population | 153,928 | 153,415 | 152,596 | 151,654 | 150,451 |
| | Rate per 100,000 | 911.5 | 1033.8 | 1121.9 | 921.8 | 1375.9 |
| | Percent of Total | 73.0% | 74.3% | 69.4% | 70.3% | 74.4% |
| Other | Number | 18 | 22 | 34 | 32 | 31 |
| | Percent of Total | 0.9% | 1.0% | 1.4% | 1.6% | 1.1% |

Indicator 3: Admissions to Alcohol and Drug Treatment (Continued)




Table 3.5 Characteristics of Clients Admitted to Alcohol and Drug Treatment

| | | 20 | 000 | 20 | 001 | 20 | 002 | 20 | 2003 200 | | 004 |
|--------------------------------|-------------|-------|--------|-------|--------|-------|--------|-------|----------|-------|--------|
| TOTAL COUNTY | ADMISSIONS | 1,921 | 100.0% | 2,135 | 100.0% | 2,468 | 100.0% | 1,990 | 100.0% | 2,784 | 100.0% |
| Gender | Male | 1,261 | 65.6% | 1,345 | 63.0% | 1,568 | 63.5% | 1,189 | 59.7% | 1,685 | 60.5% |
| _ | Female | 660 | 34.4% | 790 | 37.0% | 900 | 36.5% | 801 | 40.3% | 1,099 | 39.5% |
| Age Initiated Substance Use | Under 10 | 143 | 7.4% | 163 | 7.6% | 188 | 7.6% | 143 | 7.2% | 156 | 5.6% |
| | 11 to 12 | 190 | 9.9% | 211 | 9.9% | 298 | 12.1% | 219 | 11.0% | 331 | 11.9% |
| | 13 to 14 | 287 | 14.9% | 335 | 15.7% | 400 | 16.2% | 301 | 15.1% | 417 | 15.0% |
| | 15 to 17 | 407 | 21.2% | 535 | 25.1% | 576 | 23.3% | 459 | 23.1% | 729 | 26.2% |
| | 18 to 20 | 304 | 15.8% | 307 | 14.4% | 367 | 14.9% | 299 | 15.0% | 418 | 15.0% |
| | 21 and over | 499 | 26.0% | 539 | 25.2% | 582 | 23.6% | 481 | 24.2% | 630 | 22.6% |
| IV Drug Users | Yes | 378 | 19.7% | 453 | 21.2% | 427 | 17.3% | 323 | 16.2% | 403 | 14.5% |
| | No | 1,543 | 80.3% | 1,682 | 78.8% | 2,041 | 82.7% | 1,667 | 83.8% | 2,381 | 85.5% |
| Pregnant | Yes | 27 | 4.1% | 36 | 4.6% | 31 | 3.4% | 42 | 5.2% | 37 | 3.4% |

Table 3.6
AOD Treatment Admissions by Primary Drug Type, Percent of Total Admissions, and Rate per 100,000 Population 10-17 Years

| | | 2000 | 2001 | 2002 | 2003 | 2004 |
|------------------|------------------|--------|--------|--------|--------|--------|
| TOTAL ADMISSIONS | | 61 | 69 | 52 | 54 | 53 |
| Methamphetamines | Number | 7 | 10 | 6 | 6 | 10 |
| | Population 10-17 | 22,702 | 23,201 | 23,419 | 23,463 | 23,370 |
| | Percent of Total | 11.5% | 14.5% | 11.5% | 11.1% | 18.9% |
| | Rate per 100,000 | 30.8 | 43.1 | 25.6 | 25.6 | 42.8 |
| Alcohol | Number | 14 | 18 | 11 | 9 | 12 |
| | Population 10-17 | 22,702 | 23,201 | 23,419 | 23,463 | 23,370 |
| | Percent of Total | 23.0% | 26.1% | 21.2% | 16.7% | 22.6% |
| | Rate per 100,000 | 61.7 | 77.6 | 47.0 | 38.4 | 51.3 |
| Marijuana | Number | 33 | 37 | 29 | 32 | 25 |
| | Population 10-17 | 22,702 | 23,201 | 23,419 | 23,463 | 23,370 |
| | Percent of Total | 54.1% | 53.6% | 55.8% | 59.3% | 47.2% |
| | Rate per 100,000 | 145.4 | 159.5 | 123.8 | 136.4 | 107.0 |
| Heroin | Number | 4 | 2 | 1 | 3 | 0 |
| | Population 10-17 | 22,702 | 23,201 | 23,419 | 23,463 | 23,370 |
| | Percent of Total | 6.6% | 2.9% | 1.9% | 5.6% | 0.0% |
| | Rate per 100,000 | 17.6 | 8.6 | 4.3 | 12.8 | 0.0 |
| Crack/Cocaine | Number | 2 | 2 | 3 | 3 | 3 |
| | Population 10-17 | 22,702 | 23,201 | 23,419 | 23,463 | 23,370 |
| | Percent of Total | 3.3% | 2.9% | 5.8% | 5.6% | 5.7% |
| | Rate per 100,000 | 8.8 | 8.6 | 12.8 | 12.8 | 12.8 |
| Other Drugs | Number | 1 | 0 | 2 | 1 | 3 |
| | Population 10-17 | 22,702 | 23,201 | 23,419 | 23,463 | 23,370 |
| | Percent of Total | 1.6% | 0.0% | 3.8% | 1.9% | 5.7% |
| | Rate per 100,000 | 4.4 | 0.0 | 8.5 | 4.3 | 12.8 |

Figure 3.7 2004 Admissions by Primary Drug Type Among Youth Under 18 Years




Table 3.7
AOD Treatment Admissions among Youth Under Age 18 by Client Race/Ethnicity, Rate per 100,000
Population 10 to 17, and Percent of Total Admissions

| | | 2000 | 2001 | 2002 | 2003 | 2004 |
|------------------------|------------------|--------|--------|--------|--------|--------|
| TOTAL ADMISSIONS | UNDER 18 YEARS | 61 | 69 | 52 | 54 | 53 |
| Male | Number | 37 | 45 | 34 | 42 | 43 |
| | Population 10-17 | 11,786 | 12,020 | 12,097 | 12,089 | 12,019 |
| | Rate per 100,000 | 313.9 | 374.4 | 281.1 | 347.4 | 357.8 |
| | Percent of Total | 60.7% | 65.2% | 65.4% | 77.8% | 81.1% |
| Female | Number | 24 | 24 | 18 | 12 | 10 |
| | Population 10-17 | 10,916 | 11,181 | 11,322 | 11,374 | 11,351 |
| | Rate per 100,000 | 219.9 | 214.6 | 159.0 | 105.5 | 88.1 |
| | Percent of Total | 39.3% | 34.8% | 34.6% | 22.2% | 18.9% |
| | | | | | | |
| American Indian | Number | 1 | 0 | 0 | 0 | 2 |
| | Population 10-17 | 58 | 58 | 57 | 56 | 57 |
| | Rate per 100,000 | 1724.1 | 0.0 | 0.0 | 0.0 | 3508.8 |
| | Percent of Total | 1.6% | 0.0% | 0.0% | 0.0% | 3.8% |
| Asian/Pacific Islander | Number | 0 | 5 | 3 | 2 | 0 |
| | Population 10-17 | 1,081 | 1,065 | 1,009 | 977 | 928 |
| | Rate per 100,000 | 0.0 | 469.5 | 297.3 | 204.7 | 0.0 |
| | Percent of Total | 0.0% | 7.2% | 5.8% | 3.7% | 0.0% |
| Black | Number | 7 | 4 | 2 | 3 | 3 |
| | Population 10-17 | 610 | 642 | 659 | 660 | 670 |
| | Rate per 100,000 | 1147.5 | 623.1 | 303.5 | 454.5 | 447.8 |
| | Percent of Total | 11.5% | 5.8% | 3.8% | 5.6% | 5.7% |
| Hispanic | Number | 13 | 13 | 12 | 16 | 17 |
| | Population 10-17 | 2,912 | 3,198 | 3,463 | 3,838 | 4,267 |
| | Rate per 100,000 | 446.4 | 406.5 | 346.5 | 416.9 | 398.4 |
| | Percent of Total | 21.3% | 18.8% | 23.1% | 29.6% | 32.1% |
| White | Number | 40 | 46 | 33 | 32 | 29 |
| | Population 10-17 | 17,114 | 17,288 | 17,275 | 16,973 | 16,483 |
| | Rate per 100,000 | 233.7 | 266.1 | 191.0 | 188.5 | 175.9 |
| | Percent of Total | 65.6% | 66.7% | 63.5% | 59.3% | 54.7% |
| Other | Number | 0 | 1 | 2 | 1 | 2 |
| | Percent of Total | 0.0% | 1.4% | 3.8% | 1.9% | 3.8% |

Alcohol and Drug-Related Crime

Key Findings

- The number of arrests for drug-related crime increased from 788 arrests in 2000 to 901 arrests in 2004. The rate of arrest in 2004 was 460 arrests per 100,000 persons, less than half the statewide average of 1023 arrests per 100,000 persons.
- Arrests for marijuana offenses accounted for 35 percent of drug-related arrests in 2004.
 Dangerous drugs accounted for 20 percent of arrests, and narcotics accounted for 18 percent of arrests. The remaining 27 percent of arrests were for other drug violations.
- Whites accounted for 68 percent of drug-related arrests in 2004. African Americans accounted for 15 percent of arrests, and Hispanics accounted for 14 percent of arrests.
- Individuals between 18 and 24 years accounted for 21 percent of drug-related arrests in 2004 and had the highest rate of arrest at 1041 arrests per 100,000 persons. The rate of arrest generally declined with older age brackets. Youth between 10 and 17 accounted for 18 percent of drug-related arrests.
- Males accounted for 79 percent of drug-related arrests in 2004 for youth between 10 and 17 years. Roughly 82 percent were White, and 11 percent were Hispanic.
- The number of arrests for alcohol-related crime increased slightly from 2517 arrests in 2000 to 2572 arrests in 2004. The rate of arrest in 2004 was 1312 arrests per 100,000 persons, higher than the statewide average of 1087 arrests per 100,000 persons.
- Driving under the influence accounted for 60 percent of alcohol-related arrests in 2004, and drunkenness accounted for 34 percent of arrests. The remaining seven percent of arrests were for liquor law violations.
- Whites accounted for 67 percent of alcohol-related arrests in 2004, and Hispanics accounted for 23 percent of arrests.
- Individuals between 18 and 24 accounted for 22 percent of alcohol-related arrests in 2004 and had the highest rate of arrest at 3095 arrests per 100,000 persons. The rate of arrest generally declined with older age brackets. Youth between 10 and 17 years accounted for 6.6 percent of alcohol-related arrests in 2004.
- Males accounted for two-thirds of alcohol-related arrests in 2004 for youth between 10 and 17 years. Roughly 82 percent were White, and eight percent were Hispanic.



Indicator 4: Arrests for Drug-Related Crime

The number of felony and misdemeanor arrests for drug crimes, including dangerous drugs, narcotics, marijuana, and other drug violations and rate per 100,000 population 10 to 69 years.

Table/Figure 4.1 Number of Felony and Misdemeanor Arrests for Drug Offenses and Rate per 100,000 Population 10 to 69 Years

| | 2000 | 2001 | 2002 | 2003 | 2004 |
|--------------------------------|---------|---------|---------|---------|---------|
| Number of Drug Arrests | 788 | 822 | 756 | 865 | 901 |
| Population 10-69 | 195,849 | 196,359 | 196,417 | 196,387 | 196,038 |
| Rate per 100,000 | 402.4 | 418.6 | 384.9 | 440.5 | 459.6 |
| | | | | | |
| CALIFORNIA Rate per 100,000 | 961.8 | 930.4 | 939.7 | 985.7 | 1023.4 |




Table 4.2 Number of Felony and Misdemeanor Arrests for Drug Offenses by Specific Offense and Rate per 100,000 Population 10-69 Years

| | | 2000 | 2001 | 2002 | 2003 | 2004 |
|-----------------------|------------------|---------|---------|---------|---------|---------|
| ALL DRUG ARRESTS | | 788 | 822 | 756 | 865 | 901 |
| Dangerous Drugs | Number | 125 | 135 | 142 | 181 | 178 |
| | Population 10-69 | 195,849 | 196,359 | 196,417 | 196,387 | 196,038 |
| | Rate per 100,000 | 63.8 | 68.8 | 72.3 | 92.2 | 90.8 |
| | Percent of Total | 15.9% | 16.4% | 18.8% | 20.9% | 19.8% |
| Narcotics | Number | 146 | 139 | 123 | 156 | 166 |
| | Population 10-69 | 195,849 | 196,359 | 196,417 | 196,387 | 196,038 |
| | Rate per 100,000 | 74.5 | 70.8 | 62.6 | 79.4 | 84.7 |
| | Percent of Total | 18.5% | 16.9% | 16.3% | 18.0% | 18.4% |
| Marijuana | Number | 311 | 353 | 299 | 317 | 316 |
| | Population 10-69 | 195,849 | 196,359 | 196,417 | 196,387 | 196,038 |
| | Rate per 100,000 | 158.8 | 179.8 | 152.2 | 161.4 | 161.2 |
| | Percent of Total | 39.5% | 42.9% | 39.6% | 36.6% | 35.1% |
| Other Drug Violations | Number | 206 | 195 | 192 | 211 | 241 |
| | Population 10-69 | 195,849 | 196,359 | 196,417 | 196,387 | 196,038 |
| | Rate per 100,000 | 105.2 | 99.3 | 97.8 | 107.4 | 122.9 |
| | Percent of Total | 26.1% | 23.7% | 25.4% | 24.4% | 26.7% |

Table 4.3 Number of Arrests for Felony and Misdemeanor Drug Offenses by Race/Ethnicity of Offender and Rate per 100,000 Population 10-69 Years

| | | 2000 | 2001 | 2002 | 2003 | 2004 |
|---------------------------|------------------|---------|---------|---------|---------|---------|
| ALL DRUG ARRE | STS | 788 | 822 | 756 | 865 | 901 |
| American Indian | Number | 1 | 1 | 1 | 0 | 0 |
| | Population | 585 | 590 | 592 | 597 | 601 |
| | Rate per 100,000 | 170.9 | 169.5 | 168.9 | 0.0 | 0.0 |
| | Percent of Total | 0.1% | 0.1% | 0.1% | 0.0% | 0.0% |
| Asian/Pacific Islander | Number | 19 | 13 | 23 | 21 | 20 |
| isiander | Population | 9,847 | 9,811 | 9,713 | 9,632 | 9,512 |
| | Rate per 100,000 | 193.0 | 132.5 | 236.8 | 218.0 | 210.3 |
| | Percent of Total | 2.4% | 1.6% | 3.0% | 2.4% | 2.2% |
| Black | Number | 126 | 117 | 106 | 116 | 137 |
| | Population | 6,214 | 6,283 | 6,352 | 6,392 | 6,437 |
| | Rate per 100,000 | 2027.7 | 1862.2 | 1668.8 | 1814.8 | 2128.3 |
| | Percent of Total | 16.0% | 14.2% | 14.0% | 13.4% | 15.2% |
| Hispanic | Number | 101 | 125 | 82 | 118 | 129 |
| | Population | 22,019 | 22,964 | 23,869 | 24,826 | 25,757 |
| | Rate per 100,000 | 458.7 | 544.3 | 343.5 | 475.3 | 500.8 |
| | Percent of Total | 12.8% | 15.2% | 10.8% | 13.6% | 14.3% |
| White | Number | 537 | 556 | 538 | 599 | 608 |
| | Population | 153,928 | 153,415 | 152,596 | 151,654 | 150,451 |
| | Rate per 100,000 | 348.9 | 362.4 | 352.6 | 395.0 | 404.1 |
| | Percent of Total | 68.1% | 67.6% | 71.2% | 69.2% | 67.5% |
| Other | Number | 4 | 10 | 6 | 11 | 7 |
| | Percent of Total | 0.5% | 1.2% | 0.8% | 1.3% | 0.8% |

Table 4.4 Number of Arrests for Felony and Misdemeanor Drug Offenses by Age of Offender and Age-Specific Rate per 100,000 Population

| | | 2000 | 2001 | 2002 | 2003 | 2004 |
|--------------|------------------|--------|--------|--------|--------|--------|
| ALL DRUG ARI | RESTS | 788 | 822 | 756 | 865 | 901 |
| 10-17 Years | Number | 149 | 148 | 148 | 182 | 159 |
| | Population | 22,702 | 23,201 | 23,419 | 23,463 | 23,370 |
| | Rate per 100,000 | 656.3 | 637.9 | 632.0 | 775.7 | 680.4 |
| | Percent of Total | 18.9% | 18.0% | 19.6% | 21.0% | 17.6% |
| 18-24 Years | Number | 160 | 185 | 149 | 211 | 189 |
| | Population | 13,861 | 14,730 | 15,685 | 16,914 | 18,156 |
| | Rate per 100,000 | 1154.3 | 1255.9 | 950.0 | 1247.5 | 1041.0 |
| | Percent of Total | 20.3% | 22.5% | 19.7% | 24.4% | 21.0% |
| 25-34 Years | Number | 178 | 183 | 163 | 170 | 184 |
| | Population | 31,595 | 29,776 | 28,171 | 26,454 | 24,774 |
| | Rate per 100,000 | 563.4 | 614.6 | 578.6 | 642.6 | 742.7 |
| | Percent of Total | 22.6% | 22.3% | 21.6% | 19.7% | 20.4% |
| 35-44 Years | Number | 181 | 186 | 181 | 178 | 203 |
| | Population | 44,512 | 43,372 | 42,036 | 40,550 | 39,007 |
| | Rate per 100,000 | 406.6 | 428.8 | 430.6 | 439.0 | 520.4 |
| | Percent of Total | 23.0% | 22.6% | 23.9% | 20.6% | 22.5% |
| 45-54 Years | Number | 102 | 110 | 97 | 104 | 126 |
| | Population | 45,910 | 46,120 | 45,501 | 45,012 | 44,496 |
| | Rate per 100,000 | 222.2 | 238.5 | 213.2 | 231.0 | 283.2 |
| | Percent of Total | 12.9% | 13.4% | 12.8% | 12.0% | 14.0% |
| 55-64 Years | Number | 14 | 7 | 12 | 19 | 35 |
| | Population | 28,370 | 30,130 | 32,419 | 34,481 | 36,158 |
| | Rate per 100,000 | 49.3 | 23.2 | 37.0 | 55.1 | 96.8 |
| | Percent of Total | 1.8% | 0.9% | 1.6% | 2.2% | 3.9% |
| 65+ Years | Number | 4 | 3 | 6 | 1 | 5 |
| | Population | 33,663 | 34,316 | 34,922 | 35,754 | 36,734 |
| | Rate per 100,000 | 11.9 | 8.7 | 17.2 | 2.8 | 13.6 |
| | Percent of Total | 0.5% | 0.4% | 0.8% | 0.1% | 0.6% |




Table 4.5
Number of Arrests for Felony and Misdemeanor Drug Offenses by Gender and Race among Underage Offenders and Rate per 100,000 Population 10-17 Years

| | | 2000 | 2001 | 2002 | 2003 | 2004 |
|------------------------|------------------|----------|--------|--------|--------|--------|
| ALL DRUG ARRESTS | UNDER 18 YEARS | 149 | 148 | 148 | 182 | 159 |
| Male | Number | 122 | 116 | 121 | 152 | 125 |
| | Population 10-17 | 11,786 | 12,020 | 12,097 | 12,089 | 12,019 |
| | Rate per 100,000 | 1035.1 | 965.1 | 1000.2 | 1257.3 | 1040.0 |
| | Percent of Total | 81.9% | 78.4% | 81.8% | 83.5% | 78.6% |
| Female | Number | 27 | 32 | 27 | 30 | 34 |
| | Population 10-17 | 10,916 | 11,181 | 11,322 | 11,374 | 11,351 |
| | Rate per 100,000 | 247.3 | 286.2 | 238.5 | 263.8 | 299.5 |
| | Percent of Total | 18.1% | 21.6% | 18.2% | 16.5% | 21.4% |
| | | | | | | |
| American Indian | Number | 0 | 0 | 1 | 0 | 0 |
| | Population 10-17 | 58 | 58 | 57 | 56 | 57 |
| | Rate per 100,000 | 0.0 | 0.0 | 1754.4 | 0.0 | 0.0 |
| | Percent of Total | 0.0% | 0.0% | 0.7% | 0.0% | 0.0% |
| Asian/Pacific Islander | Number | 5 | 1 | 3 | 8 | 4 |
| | Population 10-17 | 1,081 | 1,065 | 1,009 | 977 | 928 |
| | Rate per 100,000 | 462.5 | 93.9 | 297.3 | 818.8 | 431.0 |
| | Percent of Total | 3.4% | 0.7% | 2.0% | 4.4% | 2.5% |
| Black | Number | 5 | 6 | 11 | 7 | 4 |
| | Population 10-17 | 610 | 642 | 659 | 660 | 670 |
| | Rate per 100,000 | 819.7 | 934.6 | 1669.2 | 1060.6 | 597.0 |
| | Percent of Total | 3.4% | 4.1% | 7.4% | 3.8% | 2.5% |
| Hispanic | Number | 22 | 31 | 16 | 28 | 18 |
| | Population 10-17 | 2,912 | 3,198 | 3,463 | 3,838 | 4,267 |
| | Rate per 100,000 | 755.5 | 969.4 | 462.0 | 729.5 | 421.8 |
| | Percent of Total | 14.8% | 20.9% | 10.8% | 15.4% | 11.3% |
| White | Number | 117 | 109 | 116 | 137 | 131 |
| | Population 10-17 | 17,114 | 17,288 | 17,275 | 16,973 | 16,483 |
| | Rate per 100,000 | 683.7 | 630.5 | 671.5 | 807.2 | 794.8 |
| | Percent of Total | 78.5% | 73.6% | 78.4% | 75.3% | 82.4% |
| Other | Number | 0 | 1 | 1 | 2 | 2 |
| | Percent of Total | 0.0% | 0.7% | 0.7% | 1.1% | 1.3% |
| | | . | | | | |

Indicator 5: Arrests for Alcohol-Related Crime

The number of felony and misdemeanor arrests for alcohol-related crimes, including felony and misdemeanor driving under-the-influence, public drunkenness, and liquor law violations and rate per 100,000 population 10 to 69 years.

Table/Figure 5.1 Number of Felony and Misdemeanor Arrests for Alcohol Offenses and Rate per 100,000 Population 10 to 69 Years

| | 2000 | 2001 | 2002 | 2003 | 2004 |
|--------------------------------|---------|---------|---------|---------|---------|
| Number of Alcohol Arrests | 2,517 | 2,658 | 2,638 | 2,691 | 2,572 |
| Population 10-69 | 195,849 | 196,359 | 196,417 | 196,387 | 196,038 |
| Rate per 100,000 | 1285.2 | 1353.6 | 1343.1 | 1370.3 | 1312.0 |
| | | | | | |
| CALIFORNIA Rate per 100,000 | 1238.2 | 1166.6 | 1124.7 | 1127.8 | 1087.4 |




Table 5.2 Number of Felony and Misdemeanor Arrests for Alcohol Offenses by Specific Offense and Rate per 100,000 Population 10-69 Years

| | | 2000 | 2001 | 2002 | 2003 | 2004 |
|-----------------------|------------------|---------|---------|---------|---------|---------|
| ALL ALCOHOL ARRE | STS | 2,517 | 2,658 | 2,638 | 2,691 | 2,572 |
| Driving-Under-the- | Number | 1,309 | 1,460 | 1,477 | 1,669 | 1,536 |
| Influence | Population 10-69 | 195,849 | 196,359 | 196,417 | 196,387 | 196,038 |
| | Rate per 100,000 | 668.4 | 743.5 | 752.0 | 849.9 | 783.5 |
| | Percent of Total | 52.0% | 54.9% | 56.0% | 62.0% | 59.7% |
| Drunk | Number | 1,039 | 1,047 | 948 | 797 | 861 |
| | Population 10-69 | 195,849 | 196,359 | 196,417 | 196,387 | 196,038 |
| | Rate per 100,000 | 530.5 | 533.2 | 482.6 | 405.8 | 439.2 |
| | Percent of Total | 41.3% | 39.4% | 35.9% | 29.6% | 33.5% |
| Liquor Law Violations | Number | 169 | 151 | 213 | 225 | 175 |
| | Population 10-69 | 195,849 | 196,359 | 196,417 | 196,387 | 196,038 |
| | Rate per 100,000 | 86.3 | 76.9 | 108.4 | 114.6 | 89.3 |
| | Percent of Total | 6.7% | 5.7% | 8.1% | 8.4% | 6.8% |

Table 5.3 Number of Arrests for Felony and Misdemeanor Alcohol Offenses by Race/Ethnicity of Offender and Rate per 100,000 Population 10-69 Years

| | | 2000 | 2001 | 2002 | 2003 | 2004 |
|-----------------|------------------|---------|---------|---------|---------|---------|
| ALL ALCOHOL A | RRESTS | 2,517 | 2,658 | 2,638 | 2,691 | 2,572 |
| American Indian | Number | 10 | 7 | 7 | 8 | 4 |
| | Population | 585 | 590 | 592 | 597 | 601 |
| | Rate per 100,000 | 1709.4 | 1186.4 | 1182.4 | 1340.0 | 665.6 |
| | Percent of Total | 0.4% | 0.3% | 0.3% | 0.3% | 0.2% |
| Asian/Pacific | Number | 35 | 40 | 49 | 61 | 59 |
| Islander | Population | 9,847 | 9,811 | 9,713 | 9,632 | 9,512 |
| | Rate per 100,000 | 355.4 | 407.7 | 504.5 | 633.3 | 620.3 |
| | Percent of Total | 1.4% | 1.5% | 1.9% | 2.3% | 2.3% |
| Black | Number | 114 | 146 | 94 | 127 | 129 |
| | Population | 6,214 | 6,283 | 6,352 | 6,392 | 6,437 |
| | Rate per 100,000 | 1834.6 | 2323.7 | 1479.8 | 1986.9 | 2004.0 |
| | Percent of Total | 4.5% | 5.5% | 3.6% | 4.7% | 5.0% |
| Hispanic | Number | 541 | 588 | 537 | 574 | 587 |
| | Population | 22,019 | 22,964 | 23,869 | 24,826 | 25,757 |
| | Rate per 100,000 | 2457.0 | 2560.5 | 2249.8 | 2312.1 | 2279.0 |
| | Percent of Total | 21.5% | 22.1% | 20.4% | 21.3% | 22.8% |
| White | Number | 1,777 | 1,813 | 1,898 | 1,857 | 1,729 |
| | Population | 153,928 | 153,415 | 152,596 | 151,654 | 150,451 |
| | Rate per 100,000 | 1154.4 | 1181.8 | 1243.8 | 1224.5 | 1149.2 |
| | Percent of Total | 70.6% | 68.2% | 71.9% | 69.0% | 67.2% |
| Other | Number | 40 | 64 | 53 | 64 | 64 |
| | Percent of Total | 1.6% | 2.4% | 2.0% | 2.4% | 2.5% |

Table 5.4 Number of Arrests for Felony and Misdemeanor Alcohol Offenses by Age of Offender and Age-Specific Rate per 100,000 Population

| | | 2000 | 2001 | 2002 | 2003 | 2004 |
|-------------|------------------|--------|--------|--------|--------|--------|
| ALL ALCOHOL | ARRESTS | 2,517 | 2,658 | 2,638 | 2,691 | 2,572 |
| 10-17 Years | Number | 167 | 167 | 219 | 268 | 170 |
| | Population | 22,702 | 23,201 | 23,419 | 23,463 | 23,370 |
| | Rate per 100,000 | 735.6 | 719.8 | 935.1 | 1142.2 | 727.4 |
| | Percent of Total | 6.6% | 6.3% | 8.3% | 10.0% | 6.6% |
| 18-24 Years | Number | 472 | 496 | 471 | 519 | 562 |
| | Population | 13,861 | 14,730 | 15,685 | 16,914 | 18,156 |
| | Rate per 100,000 | 3405.2 | 3367.3 | 3002.9 | 3068.5 | 3095.4 |
| | Percent of Total | 18.8% | 18.7% | 17.9% | 19.3% | 21.9% |
| 25-34 Years | Number | 547 | 612 | 607 | 635 | 605 |
| | Population | 31,595 | 29,776 | 28,171 | 26,454 | 24,774 |
| | Rate per 100,000 | 1731.3 | 2055.3 | 2154.7 | 2400.4 | 2442.1 |
| | Percent of Total | 21.7% | 23.0% | 23.0% | 23.6% | 23.5% |
| 35-44 Years | Number | 667 | 623 | 661 | 580 | 559 |
| | Population | 44,512 | 43,372 | 42,036 | 40,550 | 39,007 |
| | Rate per 100,000 | 1498.5 | 1436.4 | 1572.5 | 1430.3 | 1433.1 |
| | Percent of Total | 26.5% | 23.4% | 25.1% | 21.6% | 21.7% |
| 45-54 Years | Number | 469 | 540 | 496 | 462 | 440 |
| | Population | 45,910 | 46,120 | 45,501 | 45,012 | 44,496 |
| | Rate per 100,000 | 1021.6 | 1170.9 | 1090.1 | 1026.4 | 988.9 |
| | Percent of Total | 18.6% | 20.3% | 18.8% | 17.2% | 17.1% |
| 55-64 Years | Number | 140 | 180 | 148 | 198 | 193 |
| | Population | 28,370 | 30,130 | 32,419 | 34,481 | 36,158 |
| | Rate per 100,000 | 493.5 | 597.4 | 456.5 | 574.2 | 533.8 |
| | Percent of Total | 5.6% | 6.8% | 5.6% | 7.4% | 7.5% |
| 65+ Years | Number | 55 | 40 | 36 | 29 | 43 |
| | Population | 33,663 | 34,316 | 34,922 | 35,754 | 36,734 |
| | Rate per 100,000 | 163.4 | 116.6 | 103.1 | 81.1 | 117.1 |
| | Percent of Total | 2.2% | 1.5% | 1.4% | 1.1% | 1.7% |




Table 5.5 Number of Arrests for Felony and Misdemeanor Alcohol Offenses by Gender and Race among Underage Offenders and Rate per 100,000 Population 10-17 Years

| | | 2000 | 2001 | 2002 | 2003 | 2004 |
|------------------------|--------------------|--------|--------|--------|--------|--------|
| ALL ALCOHOL ARRE | STS UNDER 18 YEARS | 167 | 167 | 219 | 268 | 170 |
| Male | Number | 120 | 117 | 139 | 192 | 113 |
| | Population 10-17 | 11,786 | 12,020 | 12,097 | 12,089 | 12,019 |
| | Rate per 100,000 | 1018.2 | 973.4 | 1149.0 | 1588.2 | 940.2 |
| | Percent of Total | 71.9% | 70.1% | 63.5% | 71.6% | 66.5% |
| Female | Number | 47 | 50 | 80 | 76 | 57 |
| | Population 10-17 | 10,916 | 11,181 | 11,322 | 11,374 | 11,351 |
| | Rate per 100,000 | 430.6 | 447.2 | 706.6 | 668.2 | 502.2 |
| | Percent of Total | 28.1% | 29.9% | 36.5% | 28.4% | 33.5% |
| | | | | | | |
| American Indian | Number | 0 | 0 | 1 | 0 | 0 |
| | Population 10-17 | 58 | 58 | 57 | 56 | 57 |
| | Rate per 100,000 | 0.0 | 0.0 | 1754.4 | 0.0 | 0.0 |
| | Percent of Total | 0.0% | 0.0% | 0.5% | 0.0% | 0.0% |
| Asian/Pacific Islander | Number | 2 | 2 | 6 | 7 | 6 |
| | Population 10-17 | 1,081 | 1,065 | 1,009 | 977 | 928 |
| | Rate per 100,000 | 185.0 | 187.8 | 594.6 | 716.5 | 646.6 |
| | Percent of Total | 1.2% | 1.2% | 2.7% | 2.6% | 3.5% |
| Black | Number | 9 | 16 | 5 | 9 | 9 |
| | Population 10-17 | 610 | 642 | 659 | 660 | 670 |
| | Rate per 100,000 | 1475.4 | 2492.2 | 758.7 | 1363.6 | 1343.3 |
| | Percent of Total | 5.4% | 9.6% | 2.3% | 3.4% | 5.3% |
| Hispanic | Number | 52 | 20 | 35 | 28 | 14 |
| | Population 10-17 | 2,912 | 3,198 | 3,463 | 3,838 | 4,267 |
| | Rate per 100,000 | 1785.7 | 625.4 | 1010.7 | 729.5 | 328.1 |
| | Percent of Total | 31.1% | 12.0% | 16.0% | 10.4% | 8.2% |
| White | Number | 104 | 127 | 172 | 221 | 139 |
| | Population 10-17 | 17,114 | 17,288 | 17,275 | 16,973 | 16,483 |
| | Rate per 100,000 | 607.7 | 734.6 | 995.7 | 1302.1 | 843.3 |
| | Percent of Total | 62.3% | 76.0% | 78.5% | 82.5% | 81.8% |
| Other | | | _ | | _ | |
| | Number | 0 | 2 | 0 | 3 | 2 |

Drinking and Driving

Key Findings

- The number of fatalities in alcohol-involved accidents decreased from four fatalities in 2000 to three fatalities in 2003. The fatality rate in 2004 was 1.2 fatalities per 100,000 persons, lower than the statewide average of 4.0 fatalities per 100,000 persons.
- The number of alcohol-involved collisions increased slightly from 335 collisions in 2000 to 337 collisions in 2003. The number of persons injured decreased slightly from 175 persons injured in 2000 to 168 persons injured in 2003. Alcohol-involved collisions accounted for 8.7 percent of all collisions in 2003.
- Of the 342 parties who had been drinking in alcohol-involved accidents in 2003, 74 percent were male. Roughly 65 percent were White, and 24 percent were Hispanic.
- Individuals between 18 and 24 years accounted for 21 percent of parties who had been drinking in alcohol-involved motor vehicle accidents in 2003 at a rate of 426 per 100,000 persons, the highest rate of any age bracket. Rates declined with older age brackets. Youth between 10 and 17 years accounted for four percent of parties who had been drinking in alcohol-involved motor vehicle accidents.
- Of the 44 underage parties less than 21 years who had been drinking in alcohol-involved motor vehicle accidents, 75 percent were male. Roughly 73 percent were White, and 18 percent were Hispanic.
- In 2003 an estimated 24 percent of youth had ridden in a car with someone who had been drinking, higher than the statewide average of 20 percent.



Indicators 6: Alcohol-Involved Motor Vehicle Accidents

The number of alcohol-involved motor vehicle accidents and number of persons injured or killed and rate of admission per 100,000 population

Table/Figure 6.1
Marin County Fatalities in Alcohol-Involved Accidents and Rate per 100,000 with Comparison to Statewide Rates

| | 2000 | 2001 | 2002 | 2003 |
|--------------------------------|---------|---------|---------|---------|
| Number of Fatalities | 4 | 4 | 4 | 3 |
| Total Population | 248,449 | 249,938 | 250,717 | 251,466 |
| Rate per 100,000 | 1.6 | 1.6 | 1.6 | 1.2 |
| | | | | |
| CALIFORNIA Rate per 100,000 | 3.6 | 3.8 | 4.0 | 4.0 |
| Healthy People 2010 | 4.0 | 4.0 | 4.0 | 4.0 |




Table 6.2 Marin County Fatalities in Alcohol-Involved Accidents as a Percent of Total Collisions

| | 2000 | 2001 | 2002 | 2003 |
|--|-------|-------|-------|-------|
| Total Collisions (Marin) | 4,180 | 4,038 | 4,067 | 3,885 |
| Total Alcohol-Involved Collisions | 335 | 343 | 328 | 337 |
| Alcohol-Involved Collisions as a Percent of Total | 8.0% | 8.5% | 8.1% | 8.7% |
| Number of Persons Killed | 4 | 4 | 4 | 3 |
| Number of Persons Injured | 175 | 156 | 209 | 168 |

Healthy People 2010 U.S. Department of Health and Human Services

Reduce the number of traffic fatalities involving alcohol to 4.0 per 100,000 by the year 2010

Table 6.3
Parties in Alcohol-Involved Accidents Who Had Been Drinking by Party Gender and Race and Rate per 100,000 Population Ages 16 and Over

| | | 2000 | 2001 | 2002 | 2003 |
|--------------------------------|---|---------|---------|---------|---------|
| TOTAL PARTIES WIN ALCOHOL-INVO | /HO HAD BEEN DRINKING LVED ACCIDENTS | 340 | 348 | 334 | 342 |
| Male | Number | 261 | 235 | 250 | 254 |
| | Population | 100,004 | 100,416 | 100,615 | 100,879 |
| | Rate per 100,000 | 261.0 | 234.0 | 248.5 | 251.8 |
| | Percent of Total | 76.8% | 67.5% | 74.9% | 74.3% |
| Female | Number | 72 | 94 | 71 | 75 |
| | Population | 103,288 | 103,631 | 103,767 | 103,927 |
| | Rate per 100,000 | 69.7 | 90.7 | 68.4 | 72.2 |
| | Percent of Total | 21.2% | 27.0% | 21.3% | 21.9% |
| Other/Unknown | Number | 7 | 19 | 13 | 13 |
| | Percent of Total | 2.1% | 5.5% | 3.9% | 3.8% |
| | | | | | |
| Black | Number | ** | ** | 9 | 13 |
| | Population | 6,034 | 6,100 | 6,161 | 6,234 |
| | Rate per 100,000 | | | 146.1 | 208.5 |
| | Percent of Total | | | 2.7% | 3.8% |
| Hispanic | Number | ** | ** | 69 | 82 |
| | Population | 20,600 | 21,393 | 22,085 | 22,799 |
| | Rate per 100,000 | | | 312.4 | 359.7 |
| | Percent of Total | | | 20.7% | 24.0% |
| White | Number | ** | ** | 211 | 222 |
| | Population | 163,707 | 163,525 | 163,073 | 162,674 |
| | Rate per 100,000 | | | 129.4 | 136.5 |
| | Percent of Total | | | 63.2% | 64.9% |
| Other/Unknown | Number | ** | ** | 45 | 25 |
| | Percent of Total | | | 13.5% | 7.3% |

Table 6.4 Parties in Alcohol-Involved Accidents Who Had Been Drinking by Age and Rate per 100,000 Population

| | | 2000 | 2001 | 2002 | 2003 |
|------------------|----------------------|--------|--------|--------|--------|
| TOTAL PARTIES WI | HO HAD BEEN DRINKING | 340 | 348 | 334 | 342 |
| 10-17 Years | Number | 6 | 4 | 7 | 15 |
| | Population | 22,702 | 23,201 | 23,419 | 23,463 |
| | Rate per 100,000 | 26.4 | 17.2 | 29.9 | 63.9 |
| | Percent of Total | 1.8% | 1.1% | 2.1% | 4.4% |
| 18-24 Years | Number | 68 | 66 | 63 | 72 |
| | Population | 13,861 | 14,730 | 15,685 | 16,914 |
| | Rate per 100,000 | 490.6 | 448.1 | 401.7 | 425.7 |
| | Percent of Total | 20.0% | 19.0% | 18.9% | 21.1% |
| 25-34 Years | Number | 98 | 85 | 81 | 82 |
| | Population | 31,595 | 29,776 | 28,171 | 26,454 |
| | Rate per 100,000 | 310.2 | 285.5 | 287.5 | 310.0 |
| | Percent of Total | 28.8% | 24.4% | 24.3% | 24.0% |
| 35-44 Years | Number | 62 | 66 | 68 | 64 |
| 35-44 Years | Population | 44,512 | 43,372 | 42,036 | 40,550 |
| | Rate per 100,000 | 139.3 | 152.2 | 161.8 | 157.8 |
| | Percent of Total | 18.2% | 19.0% | 20.4% | 18.7% |
| 45-54 Years | Number | 55 | 60 | 55 | 54 |
| | Population | 45,910 | 46,120 | 45,501 | 45,012 |
| | Rate per 100,000 | 119.8 | 130.1 | 120.9 | 120.0 |
| | Percent of Total | 16.2% | 17.2% | 16.5% | 15.8% |
| 55-64 Years | Number | 22 | 24 | 24 | 22 |
| | Population | 28,370 | 30,130 | 32,419 | 34,481 |
| | Rate per 100,000 | 77.5 | 79.7 | 74.0 | 63.8 |
| | Percent of Total | 6.5% | 6.9% | 7.2% | 6.4% |
| 65+ Years | Number | 7 | 19 | 17 | 13 |
| | Population | 33,663 | 34,316 | 34,922 | 35,754 |
| | Rate per 100,000 | 20.8 | 55.4 | 48.7 | 36.4 |
| | Percent of Total | 2.1% | 5.5% | 5.1% | 3.8% |
| Other/Unknown | Number | 22 | 24 | 19 | 20 |
| | Percent of Total | 6.5% | 6.9% | 5.7% | 5.8% |





Table 6.5
Underage Parties (<21 Years) in Alcohol-Involved Accidents Who Had been Drinking by Party Gender and Race and Rate per 100,000 Population Ages 16 – 20

| | | 2000 | 2001 | 2002 | 2003 |
|------------------------------------|--|-------|-------|-------|--------|
| TOTAL PARTIES W IN ALCOHOL-INVO | HO HAD BEEN DRINKING LVED ACCIDENTS | 34 | 28 | 35 | 44 |
| Male | Number | 24 | 22 | 32 | 33 |
| | Population | 6,290 | 6,972 | 7,555 | 7,894 |
| | Rate per 100,000 | 381.6 | 315.5 | 423.6 | 418.0 |
| | Percent of Total | 70.6% | 78.6% | 91.4% | 75.0% |
| Female | Number | 10 | 6 | 3 | 11 |
| | Population | 5,194 | 5,812 | 6,342 | 6,621 |
| | Rate per 100,000 | 192.5 | 103.2 | 47.3 | 166.1 |
| | Percent of Total | 29.4% | 21.4% | 8.6% | 25.0% |
| | | | | | |
| Black | Number | ** | ** | 3 | 3 |
| | Population | 348 | 381 | 401 | 425 |
| | Rate per 100,000 | | | 748.1 | 705.9 |
| | Percent of Total | | | 8.6% | 6.8% |
| Hispanic | Number | ** | ** | 12 | 8 |
| | Population | 2,390 | 2,472 | 2,488 | 2,537 |
| | Rate per 100,000 | | | 482.3 | 315.3 |
| | Percent of Total | | | 34.3% | 18.2% |
| White | Number | ** | ** | 18 | 32 |
| | Population | 7,692 | 8,808 | 9,803 | 10,332 |
| | Rate per 100,000 | | | 183.6 | 309.7 |
| | Percent of Total | | | 51.4% | 72.7% |
| Other/Unknown | Number | ** | ** | 2 | 1 |
| | Percent of Total | | | 5.7% | 2.3% |

Table 6.6 Youth Who Have Ridden in a Car with Someone Who Had Been Drinking Percent of Youth Population by Gender with Comparison to State Rates

| | 2001 | | | 2003 | | | |
|--|--------|-------|--------|--------|--------|--------|--|
| | Total | Male | Female | Total | Male | Female | |
| Estimated Number | 3,000 | 2,000 | 1,000 | 4,000 | 1,000 | 3,000 | |
| Estimated Population | 17,000 | 8,000 | 9,000 | 17,000 | 10,000 | 6,000 | |
| Percent of Total | 20.8% | 26.9% | 15.3% | 23.7% | 14.0% | 39.6% | |
| | | | | | | | |
| CALIFORNIA Estimated Percent of Total | 18.7% | 19.0% | 18.5% | 20.0% | 19.0% | 21.0% | |

Figure 6.3 Percent of Youth Who Have Ridden in a Car with Someone Who Had Been Drinking



Healthy People 2010 U.S. Department of Health and Human Services

Reduce the number of high school students who have ridden in a car with someone who had been drinking to 30% by the year 2010

Alcohol and Drug-Related Morbidity -

Key Findings

- The number of hospital admissions to alcohol and drug treatment increased from 111 admissions in 2000 to 130 admissions in 2003. The admission rate in 2003 was 51.7 admissions per 100,000 persons, lower than the statewide average of 89.7 admissions per 100,000 persons.
- The number of hospital admissions due to alcohol-related causes increased slightly from 46 admissions in 2000 to 48 admissions in 2003. The rate of admission in 2003 was 19.1 admissions per 100,000 persons, lower than the statewide average of 44.6 admissions per 100,000 persons.
- The number of hospital admissions due to drug-related causes increased from 65 admissions in 2000 to 82 admissions in 2003. The rate of admission in 2003 was 32.6 admissions per 100,000 persons, lower than the statewide average of 45.1 admissions per 100,000 persons.
- Of the 48 alcohol-related admissions in 2003, 77 percent were for alcohol psychosis, 17 percent for alcohol dependence syndrome, and six percent for alcohol gastritis.
- Of the 82 drug-related admissions in 2003, 92 percent were for drug poisonings, and five percent were for maternal drug dependence.




Indicator 7: Hospitalizations Due to Alcohol and Drug Use The number of hospital admissions due to alcohol and drug-related causes and rate per 100,000 population.

Table/Figure 7.1


Number of Hospital Admissions Due to Alcohol and Drug-Related Causes (Combined) and Rate per 100,000 with Comparison to Statewide Rates

| | 2000 | 2001 | 2002 | 2003 |
|-------------------------------------|---------|---------|---------|---------|
| Number of Admissions | 111 | 118 | ** | 130 |
| Total Population | 248,449 | 249,938 | 250,717 | 251,466 |
| Hospitalization Rate per 100,000 | 44.7 | 47.2 | ** | 51.7 |
| | | | | |
| CALIFORNIA Rate per 100,000 | 94.8 | 90.1 | ** | 89.7 |




Table/Figure 7.2 Number of Hospital Admissions Due to *Alcohol*-Related Causes and Rate per 100,000 with Comparison to Statewide Rates

| | 2000 | 2001 | 2002 | 2003 |
|-------------------------------------|---------|---------|---------|---------|
| Number of Admissions | 46 | 51 | ** | 48 |
| Total Population | 248,449 | 249,938 | 250,717 | 251,466 |
| Hospitalization Rate per 100,000 | 18.5 | 20.4 | ** | 19.1 |
| | | | | |
| CALIFORNIA Rate per 100,000 | 48.9 | 45.7 | ** | 44.6 |



Table/Figure 7.3 Number of Hospital Admissions Due to *Drug-Related* Causes and Rate per 100,000 with Comparison to Statewide Rates

| | 2000 | 2001 | 2002 | 2003 |
|-------------------------------------|---------|---------|---------|---------|
| Number of Admissions | 65 | 67 | ** | 82 |
| Total Population | 248,449 | 249,938 | 250,717 | 251,466 |
| Hospitalization Rate per 100,000 | 26.2 | 26.8 | ** | 32.6 |
| | | | | 1 |
| CALIFORNIA Rate per 100,000 | 45.9 | 44.4 | ** | 45.1 |



Indicator 7: Hospitalizations Due to Alcohol and Drug Use (Continued)

Table 7.4 Number of Hospital Admissions Due to Alcohol and Drug-Related Causes by Specific Cause

| | 2000 | | 2 | 001 | 20 | 02 | 2 | 003 |
|--|------|-------|----|-------|----|----|----|-------|
| | N | % | N | % | N | % | N | % |
| TOTAL ALCOHOL-RELATED HOSPITALIZATIONS | 46 | 100.0 | 51 | 100.0 | ** | ** | 48 | 100.0 |
| Alcohol Psychosis | 36 | 78.3 | 46 | 90.2 | ** | ** | 37 | 77.1 |
| Alcohol Abuse | 0 | 0.0 | 0 | 0.0 | ** | ** | 0 | 0.0 |
| Alcohol Dependence Syndrome | 6 | 13.0 | 4 | 7.8 | ** | ** | 8 | 16.7 |
| Alcohol Gastritis | 4 | 8.7 | 1 | 2.0 | ** | ** | 3 | 6.3 |
| Alcoholic Liver Disease | 0 | 0.0 | 0 | 0.0 | ** | ** | 0 | 0.0 |
| Fetal Alcohol Syndrome | 0 | 0.0 | 0 | 0.0 | ** | ** | 0 | 0.0 |
| Alcohol Poisoning | 0 | 0.0 | 0 | 0.0 | ** | ** | 0 | 0.0 |
| Excessive Blood Level of Alcohol | 0 | 0.0 | 0 | 0.0 | ** | ** | 0 | 0.0 |
| TOTAL DRUG-RELATED HOSPITALIZATIONS | 65 | 100.0 | 67 | 100.0 | ** | ** | 82 | 100.0 |
| Drug Psychosis | 0 | 0.0 | 0 | 0.0 | ** | ** | 0 | 0.0 |
| Dependence | | | | | | | | |
| Barbituates | 0 | 0.0 | 0 | 0.0 | ** | ** | 0 | 0.0 |
| Cannabis | 0 | 0.0 | 0 | 0.0 | ** | ** | 1 | 1.2 |
| Cocaine | 1 | 1.5 | 1 | 1.5 | ** | ** | 0 | 0.0 |
| Hallucinogen | 0 | 0.0 | 0 | 0.0 | ** | ** | 0 | 0.0 |
| Inhalant | 0 | 0.0 | 0 | 0.0 | ** | ** | 0 | 0.0 |
| Morphine | 0 | 0.0 | 0 | 0.0 | ** | ** | 0 | 0.0 |
| Stimulant | 0 | 0.0 | 0 | 0.0 | ** | ** | 0 | 0.0 |
| Combination | 0 | 0.0 | 0 | 0.0 | ** | ** | 1 | 1.2 |
| Unspecified | 0 | 0.0 | 0 | 0.0 | ** | ** | 0 | 0.0 |
| Maternal Drug Dependence | 4 | 6.2 | 2 | 3.0 | ** | ** | 4 | 4.9 |
| Abuse | | | | | | | | |
| Amphetamine | 0 | 0.0 | 0 | 0.0 | ** | ** | 1 | 1.2 |
| Antidepressant | 0 | 0.0 | 0 | 0.0 | ** | ** | 0 | 0.0 |
| Cannabis | 0 | 0.0 | 0 | 0.0 | ** | ** | 0 | 0.0 |
| Cocaine | 0 | 0.0 | 0 | 0.0 | ** | ** | 0 | 0.0 |
| Hallucinogen | 0 | 0.0 | 1 | 1.5 | ** | ** | 0 | 0.0 |
| Morphine | 0 | 0.0 | 0 | 0.0 | ** | ** | 0 | 0.0 |
| Sedative | 0 | 0.0 | 0 | 0.0 | ** | ** | 0 | 0.0 |
| Other, Mixed or Unspecified | 0 | 0.0 | 1 | 1.5 | ** | ** | 0 | 0.0 |
| Drug Poisonings | 60 | 92.3 | 61 | 91.0 | ** | ** | 75 | 91.5 |
| Drug Exposure in Newborns | 0 | 0.0 | 1 | 1.5 | ** | ** | 0 | 0.0 |
| Fetal Damage due to Maternal Drug Use | 0 | 0.0 | 0 | 0.0 | ** | ** | 0 | 0.0 |
| Drug Polyneuropathy | 0 | 0.0 | 0 | 0.0 | ** | ** | 0 | 0.0 |

^{**} OSHPD admissions data not available for 2002.

Alcohol and Drug-Related Mortality ·

Key Findings

- The number of deaths due to alcohol and drug use increased from 39 deaths in 2000 to 59 deaths in 2003. The rate of death in 2003 was 20.4 deaths per 100,000 persons, slightly lower than the statewide average of 20.9 deaths per 100,000 persons.
- The number of deaths due to cirrhosis of the liver increased from nine deaths in 2000 to 17 deaths in 2003. The rate of deaths due to cirrhosis of the liver in 2003 was 5.3 deaths per 100,000 persons, higher than the Healthy People 2010 goal of 3.2 deaths per 100,000 persons.
- The number of drug-induced deaths increased from 26 deaths in 2000 to 31 deaths in 2003. The rate of drug-induced deaths in 2003 was 11.4 deaths per 100,000 persons, significantly higher than the Healthy People 2010 goal of 1.2 deaths per 100,000 persons.
- Of the 59 deaths due to alcohol and drug use in 2003, roughly 42 percent were for accidental and other drug poisonings, 29 percent were for alcoholic liver disease, nine percent for intentional drug self-poisoning, and seven percent for alcohol abuse.
- Males accounted for 63 percent of deaths due to alcohol and drug use in 2003.
- Individuals between 45 and 54 years accounted for 41 percent of deaths due to alcohol and drug use in 2003, and individuals between 35 and 44 years accounted for 24 percent of deaths. Older adults 65 years and over accounted for 17 percent of deaths due to alcohol and drug use in 2003.



Indicator 8: Deaths Due to Alcohol and Drug Use

The number of deaths due to alcohol and drug-related causes and age adjusted death rate per 100,000 population.

Table/Figure 8.1 Number of Deaths Due to Alcohol and Drug-Related Causes and Age-Adjusted Rate per 100,000 with Comparison to Statewide Rates

| | 2000 | 2001 | 2002 | 2003 |
|--|---------|---------|---------|---------|
| Number of Deaths | 39 | 36 | 45 | 59 |
| Total Population | 248,449 | 249,938 | 250,717 | 251,466 |
| Age Adjusted Death Rate per 100,000 | 13.3 | 12.6 | 15.8 | 20.4 |
| | | | | |
| CALIFORNIA Rate per 100,000 | 19.0 | 19.2 | 20.1 | 20.9 |




Table 8.2 Number of Deaths Due to Cirrhosis of the Liver and Rate per 100,000 with Comparison to Healthy People 2010 Objective

| | 2000 | 2001 | 2002 | 2003 | |
|--|---------|---------|---------|---------|--|
| Number of Deaths | 9 | 9 | 15 | 17 | |
| Total Population | 248,449 | 249,938 | 250,717 | 251,466 | |
| Age Adjusted Death Rate per 100,000 | 2.9 | 3.0 | 5.1 | 5.3 | |
| | | | | | |
| Healthy People 2010 | 3.2 | 3.2 | 3.2 | 3.2 | |

Table 8.3 Number of Drug-Induced Deaths and Rate per 100,000 with Comparison to Healthy People 2010 Objective

| | 2000 | 2001 | 2002 | 2003 | |
|--|---------|---------|---------|---------|--|
| Number of Deaths | 26 | 23 | 23 | 31 | |
| Total Population | 248,449 | 249,938 | 250,717 | 251,466 | |
| Age Adjusted Death Rate per 100,000 | 8.8 | 8.2 | 8.0 | 11.4 | |
| | | | | | |
| Healthy People 2010 | 1.2 | 1.2 | 1.2 | 1.2 | |

Healthy People 2010 U.S. Department of Health and Human Services

Objectives 26-2 Reduce the rate of cirrhosis deaths to 3.2 per 100,000 by the year 2010.

•••

Objectives 26-3 Reduce the rate of drug-induced deaths to 1.2 per 100,000 population by the year 2010

Indicator 8: Deaths Due to Alcohol and Drug Use (Continued)

Table 8.4 Number of Deaths Due to Alcohol and Drug-Related Causes by Specific Cause

| | | 2000 | | 2001 | | 2002 | | 2003 | |
|---------------------------------------|---|------|-------|------|-------|------|-------|------|-------|
| | | N | % | N | % | N | % | N | % |
| TOTAL ALCOHOL AND DRUG-RELATED DEATHS | | 39 | 100.0 | 36 | 100.0 | 45 | 100.0 | 59 | 100.0 |
| Deaths Due to | Alcohol Psychosis | 1 | 2.6 | 0 | 0.0 | 2 | 4.4 | 1 | 1.7 |
| Alcohol Use | Alcohol Abuse | 2 | 5.1 | 2 | 5.6 | 1 | 2.2 | 4 | 6.8 |
| | Alcohol Dependence Syndrome | 1 | 2.6 | 0 | 0.0 | 3 | 6.7 | 2 | 3.4 |
| | Alcoholic Polyneuropathy | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| | Degeneration of the Nervous System | 0 | 0.0 | 1 | 2.8 | 0 | 0.0 | 0 | 0.0 |
| | Alcoholic Myopathy | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| | Alcoholic Cardiomyopathy | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| | Alcoholic Gastritis | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| | Alcoholic Liver Disease | 9 | 23.1 | 9 | 25.0 | 15 | 33.3 | 17 | 28.8 |
| | Fetal Alcohol Syndrome | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| | Fetus and Newborn Affect by Maternal Use of Alcohol | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| | Alcohol Poisoning | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 2 | 3.4 |
| | Intentional Self-Poisoning (Alcohol) | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 1 | 1.7 |
| | Excessive Blood Level of Alcohol | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| | Alcohol-Induced Pancreatitis | 0 | 0.0 | 1 | 2.8 | 0 | 0.0 | 1 | 1.7 |
| Deaths Due to | Accidental Drug Poisoning | 4 | 10.3 | 7 | 19.4 | 9 | 20.0 | 6 | 10.2 |
| Drug Use | Intentional Self-Poisoning (Drug) | 6 | 15.4 | 4 | 11.1 | 6 | 13.3 | 5 | 8.5 |
| | Intentional Poisoning (Assault) | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| | Other Drug Poisonings | 16 | 41.0 | 12 | 33.3 | 8 | 17.8 | 19 | 32.2 |
| | Fetus and Newborn Affect by Maternal Use of Drugs | 0 | 0.0 | 0 | 0.0 | 1 | 2.2 | 0 | 0.0 |
| | Mental and Behavioral Disorders due to Use of | | | | | | | | |
| | Opioids | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| | Cannabinoids | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| | Sedatives or Hypnotics | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| | Cocaine | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| | Stimulants | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| | Hallucinogens | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| | Solvents | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| | Psychoactive Substances | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 1 | 1.7 |

Indicator 8: Deaths Due to Alcohol and Drug Use (Continued)

Table 8.5

Number of Deaths Due to Alcohol and Drug-Related Causes by Population Demographics of Decedents with Percent of Total Deaths

| | | | 2000 | 2001 | 2002 | 2003 |
|-------------------------------|------------------------------------|------------------|-------|-------|-------|-------|
| TOTAL ALCOHOL AND DRUG DEATHS | | | 39 | 36 | 45 | 59 |
| Gender | Male | Number | 26 | 21 | 23 | 37 |
| | | Percent of Total | 66.7% | 58.3% | 51.1% | 62.7% |
| | Female | Number | 13 | 15 | 22 | 22 |
| | | Percent of Total | 33.3% | 41.7% | 48.9% | 37.3% |
| Age at Time of Death | 10-17 Years | Number | 0 | 0 | 0 | 0 |
| | | Percent of Total | 0.0% | 0.0% | 0.0% | 0.0% |
| | 18-24 Years | Number | 0 | 2 | 0 | 1 |
| | | Percent of Total | 0.0% | 5.6% | 0.0% | 1.7% |
| | 25-34 Years | Number | 3 | 3 | 4 | 4 |
| | | Percent of Total | 7.7% | 8.3% | 8.9% | 6.8% |
| | 35-44 Years | Number | 10 | 8 | 13 | 13 |
| | | Percent of Total | 25.6% | 22.2% | 28.9% | 24.0% |
| | 45-54 Years | Number | 14 | 11 | 11 | 24 |
| | | Percent of Total | 35.9% | 30.6% | 24.4% | 40.7% |
| | 55-64 Years | Number | 5 | 8 | 8 | 7 |
| | | Percent of Total | 12.8% | 22.2% | 17.8% | 11.9% |
| | 65+ Years | Number | 7 | 4 | 8 | 10 |
| | | Percent of Total | 17.9% | 11.1% | 17.8% | 16.9% |
| Race | American Indian/ Alaskan Native | Number | 0 | 0 | 0 | 0 |
| | | Percent of Total | 0.0% | 0.0% | 0.0% | 0.0% |
| | Asian/ Pacific Islander | Number | 0 | 1 | 0 | 0 |
| | | Percent of Total | 0.0% | 2.8% | 0.0% | 0.0% |
| | Black | Number | 0 | 0 | 2 | 0 |
| | | Percent of Total | 0.0% | 0.0% | 4.4% | 0.0% |
| | Hispanic | Number | 3 | 2 | 4 | 4 |
| | | Percent of Total | 7.7% | 5.6% | 8.9% | 6.8% |
| | White | Number | 35 | 33 | 39 | 55 |
| | | Percent of Total | 89.7% | 91.7% | 86.7% | 93.2% |
| | Other/ Unknown | Number | 1 | 0 | 0 | 0 |
| | | Percent of Total | 2.6% | 0.0% | 0.0% | 0.0% |

| Indicator | Agency | Print and Electronic Data Sources | | |
|---|--|---|--|--|
| Prevalence of Alcohol Use | UCLA Center for Health Policy Research, California Department of Health Services, Public Health Institute | California Health Interview Survey (CHIS) | | |
| Admissions to Alcohol and Other Drug Treatment California Department of Alcohol and Drug Programs | | California Alcohol and Drug Data System (CADDS) Admissions Data | | |
| Alcohol and Drug-Related Crime | California Department of Justice, Office of the Attorney General, Criminal Justice Statistics Center | California Arrest Data 2000- 2004 | | |
| Drinking and Driving | California Highway Patrol (CHP) | Statewide Integrated Traffic Records System (SWITRS) 2000-2004 | | |
| Alcohol and Drug-Related Hospitalizations | Office of Statewide Health Planning and Development (OSHPD) | California Hospital Discharge Data Set, 2000, 2001, 2003 | | |
| Alcohol and Drug-Related Mortality | California Department of Health Services, Vital Statistics Section | Death Statistical Matsterfile 2000-2003 | | |
| | | California Health Status Profiles 2006 | | |





Center for Applied Research Solutions (CARS), Inc.
923 College Avenue
Santa Rosa, CA 95404
Phone: 707 568-3800
Fax: 707 568-3810
Toll Free 1-877-568-4227 (1-877-568-4CARS)
www.cars-rp.org

This publication was prepared by the Center for Applied Research Solutions (CARS), Inc.'s Community Prevention Initiative (CPI) Technical Assistance and Training contract funded by the California Department of Alcohol and Drug Programs (ADP).

The data system and analysis was developed by EMT Associates, Inc. and Premiere Data Services under a separate Small Business and Innovation Research (SBIR) contract funded by the National Institute on Drug Abuse (NIDA)